

# Medeco M<sup>3</sup> & X4 CLIQ™

Medeco M<sup>3</sup> & X4 CLIQ merges the features of electronics with reliable mechanical technology – all in a retrofit cylinder. M<sup>3</sup> & X4 CLIQ offers end users audit trail, user access schedules and the ability to quickly and remotely change intelligent key authorizations with the CLIQ Web Manager and Remote.

M<sup>3</sup> & X4 CLIQ installs with no wiring in a matter of minutes and intelligent keys and digital cylinders reprogram for electronic master keying. CLIQ can be combined with systems featuring Medeco<sup>3</sup>, X4 or BiLevel mechanical products to offer a blended security solution.



## Audit Accountability

Audit information recorded in both the lock and key shows a time-and-date stamped record of every event, including authorized accesses and unauthorized attempts.



## Uses Existing Hardware

The CLIQ intelligent key provides all power to the cylinder, eliminating the need for any hard wiring or power supply. Simply remove the existing mechanical cylinder and install the M<sup>3</sup> or X4 CLIQ cylinder. CLIQ can be keyed in with Medeco mechanical systems featuring Medeco<sup>3</sup> or BiLevel, Original or X4 (not available in SFIC).



## Reduces Risk of Lost Keys

Respond quickly to security threats, lost or stolen keys, or personnel changes utilizing expiring intelligent key validation intervals and remote programming.



## Electronic Scheduling

Intelligent Keys are programmed for specific openings with fully flexible scheduling. Access Profiles can be created where programming updates are generated automatically when an opening is added or removed.

## Technical Information:

- **Audits:** Key capacity – 1,000 events  
Lock capacity – 750 events
- **Management:** CLIQ Web Manager with Medeco Hosted or Self-Hosted License
- **Power:** Power supplied by the key, no hard wiring required
- **Weather Resistant:** Can be used in indoor or outdoor applications
- **Security:** Encrypted identification in cylinder & Intelligent key
- **Formats:** Available in all common cylinder formats including KIK/KIL, LFIC, padlocks and deadbolts

## Key Features:

- Mechanical and Electronic technology are combined for superior security with Medeco® patented key control
- Audit key up to 1,000 audit records provides information unavailable in a mechanical system
- Self-cleaning electronic contact point for a long lasting key and reliable connection
- Powered by an easily replaceable coin cell battery with 20,000 cycle battery life
- Available with RFID/PROX coil insert for dual use with HID compatible systems
- Rated for -20 degrees Fahrenheit to 122 degrees Fahrenheit (cylinder and key)
- Visible and audible status feedback
- Compact size in water resistant housing

## Warranty:

Medeco® warrants the M<sup>3</sup> & X4 CLIQ products to be free of defects in material and/or workmanship for a period of two (2) years from date of original purchase

## Finishes:

- Available in several finish options

## CLIQ Web Manager Features:

- Role based system administration
- Access Profiles
- Remote Programming
- Web Services Integration
- Key Revalidation
- Automated Change Notification

## Cylinder Technologies:

- X4 CLIQ Technology code = “M”
- M<sup>3</sup> CLIQ Technology code = “S”
- Biaxial CLIQ Technology code = “V”
- Original KW CLIQ Technology code = “Z”

# Medeco M<sup>3</sup> & X4 CLIQ™

## Rim and Mortise Cylinders

A simple replacement of rim or mortise cylinders with M<sup>3</sup> & X4 CLIQ cylinders provide audit and scheduling along with expiration of credentials for any existing opening utilizing mortise hardware. Cylinders are available in all popular lengths and in any existing mechanical keyway, and are an ideal upgrade for offices or as convenient loss and liability control or as override for traditional EAC equipment.



### Medeco M<sup>3</sup> & X4 CLIQ Mortise Cylinders

Description	Part Number	Price
1 1/8" Mortise Cylinder	100200	
1 1/4" Mortise Cylinder	100500	
1 3/8" Mortise Cylinder	105100	
1 1/2" Mortise Cylinder	105200	
1 3/4" Mortise Cylinder	105400	

### Medeco M<sup>3</sup> & X4 CLIQ Rim Cylinders

Description	Part Number	Price
Rim Cylinder, Horizontal Tailpiece	100400H	
Rim Cylinder, Vertical Tailpiece	100400V	
Rim Cylinder, Lazy Motion	100700	


## Key-In-Knob/Lever Cylinders

M<sup>3</sup> & X4 CLIQ merges the flexibility of electronics with reliable mechanical technology – all in a key in knob or key in lever retrofit cylinder. Offers user audit trail, user access schedules and the ability to quickly add or remove a key electronically from a system, allowing quick response to security threats or lost/stolen keys. These cylinders fit nearly all popular brands and styles of hardware and are therefore an ideal application for offices, storage and file rooms, as well as any door where cylindrical hardware is used.



### Medeco M<sup>3</sup> & X4 CLIQ Cylinders for Arrow

Description	Part Number	Price
Cylinder Package for Arrow RK & MK Series Knobs & GL Series levers. Includes CT-Y70, CTY73, & CP-160321. Original cylinder spacer must be replaced with Medeco cylinder spacer CP-160321	20200A1	
6 Pin cylinder for Arrow D & E single cylinder deadbolts; and Revolution V2 Deadbolts. * Order CT-Y27 tailpiece separately.	200901	
6 Pin cylinder for Arrow D & E double cylinder deadbolts	200902	



Cylinder Technologies are represented by the following letters:  
S = M<sup>3</sup> CLIQ, M = X4 CLIQ, V = Medeco Biaxial CLIQ, Z = Medeco Original KW CLIQ

**Medeco M<sup>3</sup> & X4 CLIQ Cylinders for Alarm Lock**

Description	Part Number	Price
Cylinder for Alarm Lock Trilogy T1, T2, T3	20200V1	

**Medeco M<sup>3</sup> & X4 CLIQ Cylinders for Cal-Royal**

Description	Part Number	Price
Cylinder for Cal-Royal SL00 knob lock and LX01 lever lock	2020049	
Cylinder for Cal-Royal CL503 Classroom function Grade 2 lever lock	20200V1	

**Medeco M<sup>3</sup> & X4 CLIQ Cylinders for Corbin Russwin**

Description	Part Number	Price
Cylinder for Corbin Russwin CL3900	20200V9	
Cylinder for Corbin Russwin 800, CL3300, CL3400, CL3500, & CL3600	2021173	

**Medeco M<sup>3</sup> & X4 CLIQ Cylinders for Dorma**

Description	Part Number	Price
Cylinder for Dorma CL853, CL860 (exterior), CL880, CL882, CL80EL, CL80EU Grade 1 lever, CK853, CK860 (exterior), CK880, CK882, CK80EL, & CK80EU Grade 1 knobs	20200V1	
Cylinder for Dorma CL860 (interior), CL870, CL872, CL873, CL877 Grade 1 Lever, CK860 (interior), CK870, CK872, CK873 & CK 877 Grade 1 Knobs	20200V0	
Cylinder for Dorma CL700 Series	2020049	

**Medeco M<sup>3</sup> & X4 CLIQ Cylinders for Embassy**

Description	Part Number	Price
Cylinder for Embassy in Entrance, Institution, Storeroom, Corridor Functions. For Embassy Levers sold thru 9/06 and ALL Knobs	20200V1	
Cylinder for Embassy Vestibule, Communicating, Classroom & Classroom Security Functions. For Embassy Levers sold thru 9/06 & ALL Knobs	20200V0	

**Medeco M<sup>3</sup> & X4 CLIQ Cylinders for Falcon**

Description	Part Number	Price
Cylinder for Falcon B Series	2020049	
Cylinder for Falcon B (CT-Y49), LY (CT-Y72), X (CT-Y68, except H knob or CT-Y71 - H knob), S (CT-Y54 - except H knob, or CT-Y58 - H knob) & F521, F561, F581, and N Series Knobs (CT-Y49 horizontal)	20200F1	
Cylinder for Falcon Inside Cylinder T-381	2020073	
Cylinder for Falcon T & RU Series, T381 Outside Cylinder	20200V3	

**Medeco M<sup>3</sup> & X4 CLIQ Cylinders for KABA Mas Hamilton**

Description	Part Number	Price
Cylinder for Kaba E-plex 5000	2020000	
Cylinder for Mas-Hamilton Power Lever	20200V1	

**Medeco M<sup>3</sup> & X4 CLIQ Cylinders for LSDA**

Description	Part Number	Price
LSDA Cylinder package fits 100, , L100, LH1000, LX1000 Series. Includes: CT-Y49, CT-Y70, CTY73, CT-Y78	20200L1	

**Medeco M<sup>3</sup> & X4 CLIQ Cylinders for Marks**

Description	Part Number	Price
Cylinder for Marks 110, 170, 180, 190, 195, 295 Series DA-Vestibule, DC & SB Communicating, S-Classroom & Classroom Security functions	20200V0	
Cylinder for Marks Lever 110, 170, 180, 190, 195 & 295 Series in AB-Entrance, DWInstitution, F-Storeroom, & T-Corridor Functions	20200V1	

**Medeco M<sup>3</sup> & X4 CLIQ Cylinder for Olympus**

Description	Part Number	Price
Cylinder for Olympus 700LCM & 800 LCM Key Retaining, Includes: CT-Y49, CT-Y52, CT-Y53, CTY54	20200S1	
6 Pin Cylinder for Olympus 700LCM & 800LCM	20009S4	

**Medeco M<sup>3</sup> & X4 CLIQ Cylinders for PDQ**

Description	Part Number	Price
Cylinder for PDQ Lever SP & ST Series, GT, XGT, & GP Series	20200V2	

**Medeco M<sup>3</sup> & X4 CLIQ Cylinder for Sargent**

Description	Part Number	Price
Cylinder for Sargent 6, 7 and 10 Line KIK Series	2080147	
Cylinder for Sargent 11 Line KIK Series	2080148	

**Medeco M<sup>3</sup> & X4 CLIQ Cylinders for Schlage**

Description	Part Number	Price
Cylinder Package for Schlage A, AL, C, D, ND & Olympiad lever designs, includes: CT-Y49 (A, AL, & D Olympiad Lever & C & D Plymouth), CT-Y52 (C & D heavy duty knobs Ball, Globe & Sphere designs only), CT-Y53 (A series Orbit), CT-Y73 (ND series Gr. 1 lever & AL thick doors), and CTY74 (45-101 padlock)	20200S1	
Cylinder for Schlage S Series Lever	2020097	
Cylinder for Schlage B, E & F160 Series	20009S4	

**Medeco M<sup>3</sup> & X4 CLIQ Cylinders for Yale**

Description	Part Number	Price
6 pin cylinder for Yale 5300LN, 5400LN and 4300 Series	200503	

**Medeco M<sup>3</sup> & X4 CLIQ Cylinders for TACO**

Description	Part Number	Price
Cylinder for TACO LXV Lever Lockset	2020078	

**Interchangeable Core Cylinders**

Medeco® Large Format Interchangeable Core (LFIC) cylinders are designed so that cores can quickly and easily be changed by non-technical personnel by using a special control key. Locks can, in effect, be “rekeyed” without having a working knowledge of the lock or without having to take the lock apart. Medeco M<sup>3</sup> & X4 CLIQ format additionally provides the benefits of audit and scheduling features. LFIC cylinders fit many of the industry standard formats making them appropriate for almost any door/hardware application.

**Medeco M<sup>3</sup> & X4 CLIQ LFIC Cylinders**

Description	Part Number	Price
Cylinder for Medeco 6 pin LFIC	320201	*Not available in X4 CLIQ
Cylinder for Yale 6 pin LFIC	310100	
Cylinder for Yale 7 pin LFIC	310100A	

Cylinder Technologies are represented by the following letters:  
S = M<sup>3</sup> CLIQ, M = X4 CLIQ, V = Medeco Biaxial CLIQ, Z = Medeco Original KW CLIQ

## Deadbolts

In addition to the physical security of the Maxum deadbolt, the M<sup>3</sup> & X4 CLIQ cylinder provides an audit trail, the ability to schedule user access rights and the freedom to quickly add or remove a key from the system. The M<sup>3</sup> & X4 CLIQ deadbolt installs with no wiring in a matter of minutes and is available in existing mechanical keyways. Attack-resistant design and tamper-proof features provide strong protection against forced entry and allow for flawless integration into any home or business application.



\*All Medeco M<sup>3</sup> & X4 CLIQ Double Cylinder Deadbolts use Mechanical Cylinders on the inside of the deadbolt

### Medeco M<sup>3</sup> & X4 CLIQ Deadbolt Cylinders

Description	Part Number	Price
Cylinder for Arrow D, E & DB Series Single Cylinder Deadbolts	200901	
Cylinder for Arrow Revolution deadbolt	200901	
Cylinder for Sargent 470 & 480 single cylinder deadbolt	200901	
Cylinder for Sargent 470 & 480 double cylinder deadbolt	200902	
Lazy Motion Cylinder for Schlage B series (old style) deadbolt	200904	

### Medeco M<sup>3</sup> & X4 CLIQ Maxum Deadbolts - Commercial Trim

Description	Part Number	Price
Single Cylinder Maxum Deadbolt, 1 1/8" Faceplate, 2 3/8" Backset	11C601	
Single Cylinder Maxum Deadbolt, 1 1/8" Faceplate, 2 3/4" Backset	11C602	
Single Cylinder Maxum Deadbolt, 1" Faceplate, 2 3/8" Backset	11C603	
Single Cylinder Maxum Deadbolt, 1" Faceplate, 2 3/4" Backset	11C604	
Single Cylinder Maxum Deadbolt, Drive In Front, 2 3/8" Backset	11C605	
Single Cylinder Maxum, Drive In Front, 2 3/4" Backset	11C606	
Single Cylinder Maxum Deadbolt, Less Bolt	11C60L	
Double Cylinder Maxum Deadbolt, 1 1/8" Faceplate, 2 3/8" Backset	11C621	
Double Cylinder Maxum Deadbolt, 1 1/8" Faceplate, 2 3/4" Backset	11C622	
Double Cylinder Maxum Deadbolt, 1" Faceplate, 2 3/8" Backset	11C623	
Double Cylinder Maxum Deadbolt, 1" Faceplate, 2 3/4" Backset	11C624	
Double Cylinder Maxum Deadbolt, Drive In Front, 2 3/8" Backset	11C625	
Double Cylinder Maxum, Drive In Front, 2 3/4" Backset	11C626	
Double Cylinder Maxum Deadbolt, Less Bolt	11C62L	

### Medeco M<sup>3</sup> & X4 CLIQ Maxum Deadbolts - Residential Trim

Description	Part Number	Price
Single Cylinder Maxum Deadbolt, 1 1/8" Faceplate, 2 3/8" Backset	11R601	
Single Cylinder Maxum Deadbolt, 1 1/8" Faceplate, 2 3/4" Backset	11R602	
Single Cylinder Maxum Deadbolt, 1" Faceplate, 2 3/8" Backset	11R603	
Single Cylinder Maxum Deadbolt, 1" Faceplate, 2 3/4" Backset	11R604	
Single Cylinder Maxum Deadbolt, Drive In Front, 2 3/8" Backset	11R605	
Single Cylinder Maxum Deadbolt, Drive In Front, 2 3/4" Backset	11R606	
Single Cylinder Maxum Deadbolt, Less Bolt	11R60L	
Double Cylinder Maxum Deadbolt, 1 1/8" Faceplate, 2 3/8" Backset	11R621	
Double Cylinder Maxum Deadbolt, 1 1/8" Faceplate, 2 3/4" Backset	11R622	
Double Cylinder Maxum Deadbolt, 1" Faceplate, 2 3/8" Backset	11R623	
Double Cylinder Maxum Deadbolt, 1" Faceplate, 2 3/4" Backset	11R624	
Double Cylinder Maxum Deadbolt, Drive In Front, 2 3/8" Backset	11R625	
Double Cylinder Maxum Deadbolt, Drive In Front, 2 3/4" Backset	11R626	
Double Cylinder Maxum Deadbolt, Less Bolt	11R62L	

Cylinder Technologies are represented by the following letters:  
 S = M<sup>3</sup> CLIQ, M = X4 CLIQ, V = Medeco Biaxial CLIQ, Z = Medeco Original KW CLIQ

## Padlocks

Medeco M<sup>3</sup> & X4 CLIQ padlocks are available to provide accountability in a weather resistant padlock that can be used in indoor or outdoor applications. Padlocks have robust reprogramming abilities, as well as audit and scheduling capabilities. Outstanding performance for your perimeter fences and gates, or access to equipment storage areas where traditional EAC is practically impossible to install.



### Medeco M<sup>3</sup> & X4 CLIQ Padlock Cylinders

Description	Part Number	Price
Cylinder for Medeco Protector II Series Padlock	500020	
System Series padlock cylinder (padlock body sold separately)	510600	
Cylinder for Abus Padlock Series 83KNK/45, 83KNK/50 & 83KNK/55. Use Abus driver M	2020000	
Cylinder for American 3600/3700 Padlock (Note: use American driver DR-MED6)	2020000	
Cylinder for New Standard padlocks	2020052	
Cylinder for Master 20 and 6600, 6700 Pro Series (Note: use Master driver 0298-627)	2020000	
Cylinder for Schlage 45-101 padlock	2020074	

### Medeco M<sup>3</sup> & X4 CLIQ Protector II Padlocks

Description	Part Number	Price
Large Body - 7/16" dia shackle, 1 3/8" clearance	5004732	
Large Body - 7/16" dia shackle, 1 3/8" clearance, Dust cover	50047321	
Large Body - 7/16" dia shackle, 1 7/8" clearance	5004832	
Large Body - 7/16" dia shackle, 1 7/8" clearance, Dust cover	50048321	
Med Body - 5/16" dia shackle, 1 3/8" clearance	5004734	
Med Body - 5/16" dia shackle, 1 3/8" clearance, Dust cover	50047341	
Med Body - 5/16" dia shackle, 1 7/8" clearance	5004834	
Med Body - 5/16" dia shackle, 1 7/8" clearance, Dust cover	50048341	

### Medeco M<sup>3</sup> & X4 CLIQ System Series Padlocks

Description	Part Number	Price
<b>Padlock 5/16" Shackle - KIK</b>		
Indoor/Outdoor Padlock, 1 1/8" Shackle Clearance	54515X0	
Indoor/Outdoor Padlock, 2 3/8" Shackle Clearance	5451FX0	
Shrouded Padlock, 3/4" Shackle Clearance	54525X0	
<b>Padlock 5/16" Shackle - 6 Pin LFIC</b>		
Indoor/Outdoor Padlock, 1 1/8" Shackle Clearance	54615X0	
Indoor/Outdoor Padlock, 2 3/8" Shackle Clearance	5461FX0	
Shrouded Padlock, 3/4" Shackle Clearance	54625X0	
<b>Padlock 7/16" Shackle - KIK</b>		
Indoor/Outdoor Padlock, 1 3/8" Shackle Clearance	54715X0	
Indoor/Outdoor Padlock, 1 7/8" Shackle Clearance	5471FX0	
Shrouded Padlock, 3/4" Shackle Clearance	54725X0	
<b>Padlock 7/16" Shackle - 6 Pin LFIC</b>		
Indoor/Outdoor Padlock, 1 3/8" Shackle Clearance	54815X0	
Indoor/Outdoor Padlock, 1 7/8" Shackle Clearance	5481FX0	
Shrouded Padlock, 3/4" Shackle Clearance	54825X0	

\* 0 = Non-key retaining and R = key retaining

Cylinder Technologies are represented by the following letters:  
S = M<sup>3</sup> CLIQ, M = X4 CLIQ, V = Medeco Biaxial CLIQ, Z = Medeco Original KW CLIQ

## International Cylinders

Medeco's international cylinders are designed to fit in locksets of major world manufacturers. In addition to international uses, many of these cylinders fit imported hardware used in North America. These M<sup>3</sup> CLIQ cylinders can be installed into standard hardware with no wiring or other modifications, as power is supplied by the key. Reprogramming, audit and key scheduling capabilities are available with easy to use software. Cylinders are widely used at high security government installations, industrial and institutional organizations, airports, hotels, power plants, palaces, museums, universities and schools, and office buildings.



### Medeco M<sup>3</sup> CLIQ International Cylinders

Description	Part Number	Price
Cylinder Module Single/Double 36 mm	2322016 300 S	
Cylinder Module Single/Double 41mm	2322016 301 S	
*Euro Single Assembled 36mm/36mm	23230X6 X00 S	
**Euro Double Assembled 36mm/36mm	23230E6 X00 S	
Euro Half 0mm	2323016 800 S	
Euro Half 5mm Extended	2323016 801 S	

\* Standard sizes available from the factory.

\*\* Only one side is electronic, the other is mechanical.

# Medeco M<sup>3</sup> & X4 CLIQ™

## Keys and Accessories

Medeco M<sup>3</sup> & X4 CLIQ intelligent keys operate both CLIQ cylinders as well as compatible mechanical cylinders for unmatched system flexibility and security. Maintaining and ensuring your system integrity by means of key audit to obtain historic user access information, as well as the ability to schedule access to doors is an invaluable tool. M<sup>3</sup> & X4 CLIQ keys are also mechanically compatible with Medeco<sup>3</sup> and Medeco<sup>3</sup> Bilevel and Medeco X4 products with potential to integrate into an already existing key system. Keys are user friendly with visible and audible status feedback, are compact in size with water resistant housing and are powered by an easily replaceable CR2025 battery. Utility patented key control provides protection against unauthorized key duplication.



### Medeco M<sup>3</sup> & X4 CLIQ Cut Keys

Description	Part Number	Price
M <sup>3</sup> E2 Normal User Key	KEC 44X002	
M <sup>3</sup> E3 Dynamic User Key	KEC 44X003	
M <sup>3</sup> E2 Normal Prox User Key	KEC 44XP02	
M <sup>3</sup> E3 Dynamic Prox User Key	KEC 44XP03	
M <sup>3</sup> LFIC Control	KEC 44X023	
M <sup>3</sup> Yale LFIC Control Key*	KEC 44X013	

\*Yale Control Key Required if Ordering 31 series IC Indicate "6" or "7" pin at first "X". Example: KEC446013

Original/Biaxial CLIQ E2 Normal User Key	KEC 45X002	
Original/Biaxial CLIQ E3 Dynamic User Key	KEC 45X003	
Original/Biaxial CLIQ E2 Prox Normal User Key	KEC 45XP02	
Original/Biaxial CLIQ E3 Prox Dynamic User Key	KEC 45XP03	
Original/Biaxial CLIQ LFIC Control Key	KEC 45X023	
Original/Biaxial CLIQ Yale LFIC Control Key*	KEC 45X013	

\*Yale Control Key Required if Ordering 31 series IC Indicate "6" or "7" pin at first "X". Example: KEC456013

X4 CLIQ E2 Normal User Key	KEC 46X002	
X4 CLIQ E3 Dynamic User Key	KEC 46X003	
X4 CLIQ E2 Prox Normal User Key	KEC 46XP02	
X4 CLIQ E3 Prox Dynamic User Key	KEC 46XP03	
X4 CLIQ Yale LFIC Control Key*	KEC 46X013	

\*Yale Control Key Required if Ordering 31 series IC Indicate "6" or "7" pin at first "X". Example: KEC466013

- Normal Key systems require Loading Authorizations On Lock via the system C-Key.
- Dynamic Key systems require Loading Authorizations On Key via a desktop or remote programming device.

Please consult with your Medeco eCylinder representative to determine which strategy is best for the desired application/installation.

C-Key for M <sup>3</sup> CLIQ	KEB 44600C
C-Key for Original or Biaxial CLIQ	KEB 45600C
C-Key X4 CLIQ	KEB 46600C
V-Prox Battery Cap Programmed - Black (25)	940281 001
V-Prox Battery Cap, No Programming - Black (25)	940282 001
Prox Battery Cap, Programmed - Black	EA-500041-001



# Medeco M<sup>3</sup> & X4 CLIQ™

## Programming and Management

Medeco M<sup>3</sup> & X4 CLIQ technology offers Web Management of Key Systems utilizing CLIQ Web Manager. This robust and versatile system allows administrators the ability to manage CLIQ intelligent keys and cylinders from anywhere with internet access. With the optional Remote Wall Programming Devices, the intelligent keys can obtain authorization changes and recurring validity with timely expirations for enhanced security while retrieving audit data simultaneously. Several feature packages are available to meet many customer requirements.



## Medeco M<sup>3</sup> & X4 CLIQ Web Hosting Service

Description	Part Number	Annual Service Fee
Basic	SW500101-1	
Remote Plus	SW500101-3	
Enterprise Plus	SW500101-5	

## Medeco M<sup>3</sup> & X4 CLIQ Customer Web Hosted Service

Description	Part Number	1-Time License Fee	Annual Recurring Maintenance
Enterprise Plus with Web Services	SW600801-6		

CLIQ Web Manager 2016				
Part Number		SW500101-1	SW500101-3	SW500101-5
Description		Hosted Basic	Hosted Remote+	Hosted Enterprise
<b>Features</b>	Domain Administration	√	√	√
	Remote Programming	x	√	√
	Key Revalidation	x	√	√
	Access Profiles	x	√	√
	Temporary Access Groups	x	√	√
	Flexible Revalidation	x	x	√
	Cylinder Groups	x	x	√
	Web Services for 3rd Party Applications	x	x	√

**\*Visit [www.cliqweb.tips](http://www.cliqweb.tips) for Feature applications and concepts.**

CLIQ Web Manager is a licensed product for both Medeco Hosted Services and End-User Self Hosted Software. Each escalating package is feature inclusive of the lower package level. Please visit [www.cliqweb.tips](http://www.cliqweb.tips) regarding any features and/or requirements of the listed features.

**Medeco M<sup>3</sup> & X4 CLIQ Programming Devices**

Description	Part Number	Price
M <sup>3</sup> CLIQ Local Programming Device (Includes USB Cable)	EA-100168	
M <sup>3</sup> CLIQ Remote Wall PD	EA-100126	
M <sup>3</sup> CLIQ Mobile Programmer	EA-100142	
M <sup>3</sup> CLIQ Outdoor, Vandal Resistant, Wall Programmer	EA-100160	
X4 CLIQ Local Programming Device (Includes USB Cable)	EA-100179	
X4 CLIQ Remote Wall PD	EA-100180	
X4 CLIQ Mobile Programmer	EA-100181	
X4 CLIQ Outdoor, Vandal Resistant, Wall Programmer	EA-100182	

**Medeco M<sup>3</sup> & X4 CLIQ Kits & Accessories**

Description	Part Number	Price
Biaxial and M <sup>3</sup> Bottom Pin Kit for use with M <sup>3</sup> CLIQ (Original Product uses standard pin kit)	.KW5401	
Metal Cylinder Protector Cover	CP-287260	

**End-User Startup Checklist:**

- CWM by Feature Package Level
- CLIQ Local Programmer
- CLIQ C Key
- Remote Wall and/or Mobile Programmers